

التاريخ: 20/05/2024

Q258.2024

رقم الاستدراج:

الشركة:

تلفون:

إيميل:

R-BR2324-247

استدراج عروض أسعار: الرجاء تزويدنا بأسعار اللوازم التالية شامل لضريبة القيمة المضافة:

اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند	مدة التوريد
Dental Composite Heater مرفق ملحق المواصفات	عدد	1			
1					
المجموع الكلي (ش.ض)			دولار		

تعليمات الاستدراج	ختم وتوقيع المورد:
** آخر موعد لتسليم العروض هو يوم:	الإثنين
** الموافق:	27/05/2024
** طبيعة البنود المطلوبة:	Dental Composite Heater
** بعملة:	دولار
** الأسعار تشمل التوصيل ل:	مقر الجامعة في رام الله
** نوع التوريد:	توريد كامل
** يرجى إرسال العرض ب:	بالظرف المغلق

شروط الاستدراج:
** ضرورة تحديد مدة الكفالة إن وجدت
** ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، وفي حال عدم الالتزام يتم فرض غرامة تأخير .
** ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الظرف.
** للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 042418888 رقم داخلي 1444 - عمر أبو الرب.
** للمراجعة والاستفسار بخصوص المواصفات عن طريق فاكس 042510972 أو بريد الكتروني omar.aburrob@aaup.edu
** لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط http://www.aaup.edu/tenders

مدير دائرة اللوازم و المشتريات

دائرة اللوازم والمشتريات

PPD-P04-R01 4 30/5/2023

<u>Item (2)</u>	<u>Dental Composite Heater</u> Brand name. 2 years warranty, 10 years availability of spare parts. Origin: USA, EURO, Japan.
Power Supply:	• 220V 50/60Hz
Heating Module:	• Utilizes a precise circuit to control the heating module.
Temperature Settings:	• Adjustable temperature settings for versatile use. • Low Setting: $40\pm 1^{\circ}\text{C}$ • Medium Setting: $50\pm 1^{\circ}\text{C}$ • High Setting: $70\pm 1^{\circ}\text{C}$
Capacity:	• 8 Hole Syringe Tray
Temperature Tolerance:	• Controlled at $\pm 1^{\circ}\text{C}$ for accuracy.
Material Compatibility:	• Suitable for composite resin materials commonly used in dental applications.
Functionality:	• Designed to heat composite resin, enhance adhesive flow performance, and serve as a manual device for heating bonding.
Safety Features:	• Built-in safety mechanisms to prevent overheating and ensure user protection.
Construction:	• Crafted with durable and heat-resistant materials.
User Interface:	• Intuitive controls for easy temperature adjustment.
Dimensions:	• Compact design for convenient placement in the dental clinic.
Certifications:	• Complies with relevant industry standards for quality and safety.

❖ السعر يشمل التوريد والتركيب ويجب أن يتم توضيح جميع متطلبات التركيب في عرض السعر من ملحقات ومتطلبات.

❖ Kindly your offer will not be taken into our consideration if you don't fill below table.

Dental Composite Heater	Yes/No	Comment
Manufacture	Manufacture	
Model	Model	
Origin: USA, EUPRE, japan.	Origin	
Delivery time	weeks	
2 years Full warranty 10 years availability for spare parts	Yes/No	
Power Supply: 220V 50/60Hz		
Heating Module: Utilizes a precise circuit to control the heating module.	Yes/No	
Temperature Settings: Adjustable temperature settings for versatile use.	Yes/No	
Low Setting: 40±1°C	Yes/No	
Medium Setting: 50±1°C	Yes/No	
High Setting: 70±1°C		
Capacity: 8 Hole Syringe Tray.	Yes/No	
Temperature Tolerance: Controlled at ±1°C for accuracy.	Yes/No	
Material Compatibility: Suitable for composite resin materials commonly used in dental applications.		
Functionality: Designed to heat composite resin, enhance adhesive flow performance, and serve as a manual device for heating bonding.	Yes/No	
Safety Features: Built-in safety mechanisms to prevent overheating and ensure user protection.	Yes/No	
Construction: Crafted with durable and heat-resistant materials.	Yes/No	
User Interface: Intuitive controls for easy temperature adjustment.		
Dimensions: Compact design for convenient placement in the dental clinic.	Yes/No	
Certifications: Complies with relevant industry standards for quality and safety.	Yes/No	
User Manual	Yes/No	
The price includes installation and team training on-site.	Yes/No	
Date of manufacture of the machine not less than 2023	Yes/No	