

Q197-2025

رقم الاستدراج:

التاريخ: 13/04/2025

الشركة:
تلفون:
إيميل:

BR2425-000590

استدراج عروض أسعار: الرجاء تزويدنا بأسعار اللوازم التالية شامل لضريبة القيمة المضافة:

#	اسم الصنف	ملاحظات	الوحدة	الكمية	السعر	اجمالي تكلفة البند	مدة التوريد
1	Refrigerated Bench top Centrifuge	مرفق المواصفات في الصفحات التالية 2.3.4	عدد	2			
					دولار		
					المجموع الكلي (ش.ض)		

ختم وتوقيع المورد:

تعليمات الاستدراج

** آخر موعد لتسليم العروض هو يوم:	الخميس
** الموافق:	17/04/2025
** طبيعة البنود المطلوبة:	جهاز Centrifuge
** بعملة:	دولار
** الأسعار تشمل التوصيل ل:	الحرم الرئيسي - جنين
** نوع التوريد:	توريد كامل
** يرجى إرسال العرض ب:	بالظرف المغلق

شروط الاستدراج:

** ضرورة تحديد مدة الكفالة إن وجدت.
** ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، وفي حال عدم الالتزام يتم فرض غرامة تأخير.
** ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الظرف.
** للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 042418888 رقم داخلي 1481
** للمراجعة والاستفسار بخصوص المواصفات عن طريق فاكس 042510972 أو بريد الكتروني manal.daraghmah@aaup.edu
** لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط http://www.aaup.edu/tenders

مدير دائرة اللوازم و المشتريات

أ. حسن ربايعة



Refrigerated Bench top Centrifuge

Origin : USA , Europe .

- Bench top centrifuge.
- Brushless motor .
- Microprocessor control .
- MAX Speed : RFC 24,500 & 16000 RPM
- Low noise 50 Db
- Temp Range : (-10 or lower to +35 °C)
- Control and display :
 - Digital display .
 - actual values are indicated During centrifugation .
 - Speed display : RPM or RFC , input in steps of 10
 - RCF key : indication during run .
 - Time (t/min) : 1 - 99 min, continuous operation .
 - Impulse key: For short centrifugation operations .
- Centrifuge chamber: stainless steel.
- Rotor :
 - Easily exchangeable rotors : Capability to use two types of rotor swing out and fixed .
 - swing out rotor with buckets and lids : max. RPM | max. RCF 4,000 min-1 | 2,218 max. capacity 10 plates run-up | run-down, braked in sec 40 | 45 angle | max. noise level 90° | 55 dB (A) temperature in °C 1) -6 (samples PCR – 96 wells)
 - fixed rotor with bio-containment : samples : tubes (2 ml , 1.5 ml , 0.5 ml , 0.2 ml , speed 14000 RPM) , angle 45 .
 - fixed rotor : tubes (, 15 ml , 50 ml, speed 9000 RPM) , angle 35 .
- Safety :
 - Emergency lid lock release .
 - Imbalance switch-off .
 - Automatic rotor recognition .
- Power : 220 V .

• السعر يشمل التوريد والتركيب ويجب أن يتم توضيح جميع متطلبات التركيب في عرض السعر من ملحقات ومتطلبات.

2



- Kindly your offer will not be taken into our consideration if you don't fill below table.

<u>Refrigerated Bench top Centrifuge</u>	Yes/No	Comment
Manufacture.	Manufacture	
Model.	Model	
Origin: USA, Europe, Japan.	Origin	
Delivery time.	Weeks	
3 years Full warranty.	Yes/No	
Brushless motor .	Yes/No	
• Microprocessor control .	Yes/No	
• MAX Speed : RFC 24,500 & 16000 RPM	Yes/No	
• Low noise 50 Db	Yes/No	
• Temp Range : (-10 or lower to +35 °C)	Weeks	
• Control and display :	Yes/No	
- Digital display .	Yes/No	
- actual values are indicated During centrifugation .	Yes/No	
- Speed display : RPM or RFC , input in steps of 10	Yes/No	
- RCF key : indication during run .	Yes/No	
- Time (t/min) : 1 - 99 min, continuous operation .	Weeks	
- Impulse key: For short centrifugation operations .	Yes/No	
• Centrifuge chamber: stainless steel.	Yes/No	
• Rotor :	Yes/No	
- Easily exchangeable rotors : Capability to use two types of rotor swing out and fixed .	Yes/No	
swing out rotor with buckets and lids : max. RPM max. RCF 4,000 min-1 2,218 max. capacity 10 plates run-up run-down, braked in sec 40 45 angle max. noise level 90° 55 dB (A) temperature in °C 1) -6 (samples PCR – 96 wells)	Yes/No	
- fixed rotor with bio-containment : samples : tubes (2 ml , 1.5 ml , 0.5 ml , 0.2 ml , speed 14000 RPM) , angle 45 .	Weeks	

3



fixed rotor : tubes (, 15 ml , 50 ml, speed 9000 RPM) , angle 35 .	Yes/No	
	Yes/No	
• Safety :	Yes/No	
- Emergency lid lock release .	Yes/No	
- Imbalance switch-off .	Yes/No	
- Automatic rotor recognition .	Weeks	
User, Application, and service manuals.	Yes/No	
Price includes installation with training on site.	Yes/No	
Complete and Ready to use with all accessories.	Yes/No	
.5Date of manufacture not less than 202	Yes/No	
في حال وجود أية قطعة ضرورية لتشغيل الجهاز غير موضحة يرجى ذكرها وتوضيحها في العرض غير ذلك تعتبر الشركة بتحمل وجود أية نواقص.	Yes/No	

